

BookletChart™


Plans in Haiti


NGA Chart 26147

A reduced-scale NGA nautical chart for small boaters

When possible, use the full-size NGA chart or Electronic Nautical Chart (ENC) for navigation.

- Complete, reduced-scale nautical chart
- Print at home for free
- Convenient size
- Latest Notices to Mariners information provided
- Formatted by NOAA's Office of Coast Survey, the nation's chartmaker





EMERGENCY INFORMATION

VHF Marine Radio channels for use on the waterways:

Channel 6 – Inter-ship safety communications.

Channel 9 – Communications between boats and ship-to-coast.

Channel 13 – Navigational purposes at bridges, locks, and harbors.

Channel 16 – Emergency, distress and safety calls to Coast Guard and others, and to initiate calls to other

vessels. Contact the other vessel, agree to another channel, and then switch.

Channel 22A – Calls between the Coast Guard and the public. Severe weather warnings, hazards to navigation and safety warnings are broadcast here.

Channels 68, 69, 71, 72 and 78A – Recreational boat channels.

Getting and Giving Help — Signal other boaters using visual distress signals (flares, orange flag, lights, arm signals); whistles; horns; and on your VHF radio. You are required by law to help boaters in trouble. Respond to distress signals, but do not endanger yourself.

Distress Call Procedures

- Make sure radio is on.
- Select Channel 16.
- Press/Hold the transmit button.
- Clearly say: "MAYDAY, MAYDAY, MAYDAY."
- Also give: Vessel Name and/or Description; Position and/or Location; Nature of Emergency; Number of People on Board.
- Release transmit button.
- Wait for 10 seconds — If no response Repeat MAYDAY call.

HAVE ALL PERSONS PUT ON LIFE JACKETS!

Quick References

Nautical chart related products and information - <http://www.nauticalcharts.noaa.gov>

Interactive chart catalog - <http://www.charts.noaa.gov/InteractiveCatalog/nrnc.shtml>

Report a chart discrepancy - <http://ocsddata.ncd.noaa.gov/idrs/discrepancy.aspx>

Chart and chart related inquiries and comments - <http://ocsddata.ncd.noaa.gov/idrs/inquiry.aspx?frompage=ContactUs>

Coast Pilot online - <http://www.nauticalcharts.noaa.gov/nsd/cpdownload.htm>

Tides and Currents - <http://tidesandcurrents.noaa.gov>

Marine Forecasts - <http://www.nws.noaa.gov/om/marine/home.htm>

National Data Buoy Center - <http://www.ndbc.noaa.gov/>

NowCoast web portal for coastal conditions - <http://www.nowcoast.noaa.gov/>

National Weather Service - <http://www.weather.gov/>

National Hurricane Center - <http://www.nhc.noaa.gov/>

Pacific Tsunami Warning Center - <http://ptwc.weather.gov/>

Contact Us - <http://www.nauticalcharts.noaa.gov/staff/contact.htm>



— For the latest news from Coast Survey, follow **@NOAAcharts**



This Booklet chart has been designed for duplex printing (printed on front and back of one sheet). If a duplex option is not available on your printer, you may print each sheet and arrange them back-to-back to allow for the proper layout when viewing.


NOAA's Office of Coast Survey

The Nation's Chartmaker

Conversion Factors			
	Known Value	Multiply By	Unknown Value
Linear	inches	25.40	millimeters
		2.540	centimeters
	centimeters	0.032808	feet
	feet	30.48	centimeters
		0.3048	meters
		0.00016458	nautical miles
	yard	0.9144	meters
	meters	3.2808	feet
		1.094	yards
		0.0005399	nautical miles
Area	statute miles	0.86897	nautical miles
		1.6093	kilometers
		1,609.3	meters
	nautical miles	1.151	statute miles
	square feet	0.0929	square meters
		0.00002296	acres
	square meters	10.764	square feet
		0.0002471	acres
	acres	4,046.9	square meters
		43,560	square feet
Depths		0.404685	hectare
	hectare	2.471054	acres
		10,000	square meters
		1.07639x10 ⁵	square feet
	fathoms	1.8288	meters
	meters	0.54681	fathoms
		3.2808	feet
	feet	0.3048	meters
	feet per second	0.5925	knots
		0.6818	miles per hour
Rate		30.48	centimeters per second
	statute miles per hour	0.8689	knots
		1.467	feet per second
		0.447	meters per second
	knots	1.151	miles per hour
		0.5144	meters per second
		1.6878	feet per second
	centimeters per second	0.01944	knots
		0.02237	miles per hour
		0.032808	feet per second
Mass	grams	0.035275	ounces
		0.002205	pounds
	ounces	28.349	grams
	pounds	0.45359	kilograms
	short tons	2,000	pounds
		0.89286	long tons
		0.9072	metric tons


Mass	long tons	2,240	pounds
		1.12	short tons
		1.016	metric tons
Volume	metric tons	1,000	kilograms
		0.9842	long tons
		1.1023	short tons
		2,204.6	pounds
	barrels (petroleum)	42	gallons (US)
		158.99	liters
	barrels (liquid, US)	31.5	gallons (US)
		26.229	gallons (British)
		119.24	liters
	gallons (US)	0.02381	barrels (petroleum)
		3.7854	liters
	liters	0.26417	gallons (US)

Measurements and Equivalencies	
Unit	Equivalency
nautical mile	1,852 meters 6,076.12 feet
statute mile	5,280 feet 1,609.3 meters 1.6093 kilometers
cable	0.1 nautical mile (CN) 720 feet (US)
fathom	6 feet 1.8288 meters
foot	0.3048 meter
inch	2.54 centimeters
meter	39.37 inches 3.281 feet 1.0936 yards
kilometer	1,000 meters
knot	1.6877 feet per second 0.5144 meters per second
miles per hour (statute)	1.466 feet per second 0.44704 meters per second
acre	43,560 square feet 4,046.82 square meters
pound (avoirdupois)	453.59 gram
gram	0.0022046 pound (avoirdupois) 0.035274 ounce
short ton	2,000 pounds
long ton	2,240 pounds
metric ton	2,204.6 pounds
kilogram	2.2 pounds
liter	1.0567 quarts
barrel (petroleum)	42 gallons (US)



A—U.S. Navy Surveys (Archive No. 825018)
 Sheet 06018
 Sheet 06017
 Sheet 06016
 Sheet 06010
 Sheet 06008
 Sheet 06015
 Sheet 06014
 Sheet 06013
 B—Former U.S. Chart 26162 1;
 C—U.S. Navy Surveys (Archive No. 844020)
 Sheets 06009, 06018
 D—Former U.S. Chart 26192 1,5,917, Ed. 19
 E—U.S. Navy Surveys (Archive No. 834002)
 Sheet 06001, 06002
 Miscellaneous data
 *From surveys prior to 1930.

26147



Joins page 10

4

Note: Chart grid lines are aligned with true north.


... 1:50,000, 1985
1920 Corr. to 1968
... 1:5,000, 1983

Positions obtained from satellite navigation systems referred to the World Geodetic System 1984 (WGS-84) can be plotted directly on this chart.

WORLD GEODETIC SYSTEM 1984 (WGS-84)

For Symbols and Abbreviations, see Chart No.1

From U



Joins page 11

This BookletChart was reduced to 75% of the original chart scale. The new scale is 1:16666. Barscales have also been reduced and are accurate when used to measure distances in this BookletChart.

5

PLANS IN


1st. Ed., Oct. 1899

DATUM NOTE

MERCATOR PROJECTION

WORLD GEODETIC SYSTEM 1984 (WGS-84)

For Symbols and Abbreviations, see Chart No.1



6

Note: Chart grid lines are aligned with true north.


and U.S. Charts to 1979

890

SOUNDINGS IN METERS
(Under 20 in meters and decimeters)
(meters and half meters to 40)
HEIGHTS IN METERS ABOVE MEAN SEA LEVEL

BUOYAGE


IALA Buoyage System, Region B,
is in effect in the area covered by
this chart. See Chart No. 1.



SOUNDINGS IN METERS
(Under 20 in meters and decimeters)
(meters and half meters to 40)
HEIGHTS IN METERS ABOVE MEAN SEA LEVEL

BUOYAGE
IALA Buoyage System, Region B,
is in effect in the area covered by
this chart. See Chart No. 1.

So



Joins page 7


Joins page 14


8



Note: Chart grid lines are aligned with true north.



GLOSSARY
 Baie..... bay
 Cap..... cape
 Île..... island
 Pointe..... point
 Rivière..... stream


OUNDINGS IN METERS















LOGARITHMIC SPEED SCALE

To find SPEED, place one point of dividers on nautical miles run and the other on minutes run. Without changing divider spread, place right point on 60 and left point will then indicate speed in knots. Example: with 4.0 miles run in 15 minutes, the speed is 16.0 knots.



31st Ed., April 29, 1995 (Correct through NM 17/95)

26147


NSN 7642014012099
NGA Ref No. 26AHA26147

ED. NO. 031


To ensure that this chart was printed at the proper scale, the line above should measure six inches (152 millimeters). If the line does not measure six inches (152 millimeters), this copy is not certified safe for navigation.


16


Note: Chart grid lines are aligned with true north.



SOUNDINGS IN METERS








Joins page 15

DEPTH
CONVERSION
SCALE



26147

WARNING

The prudent mariner will not rely solely on any single aid to navigation, particularly on floating aids. See paragraph No. 1 of Notice to Mariners No. 1 or Sailing Directions Planning Guides for information relative to DMAHTC Charts.

Plans in Haiti
SOUNDINGS IN METERS

USERS SHOULD REFER CORRECTIONS, ADDITIONS, AND COMMENTS TO THE NGA ENTERPRISE SERVICE DESK: 1-800-455-0899; COMMERCIAL 301-227-9811; DSN 287-9811; UNCLASSIFIED EMAIL: ENTERPRISESERVICECENTER@NGA.MIL; SIPRNET: ESC@NSC.NGA.SMIL.MIL; OR WRITE TO: DIRECTOR, NATIONAL GEOSPATIAL-INTELLIGENCE AGENCY, ATTN: ESC, MAIL STOP D-240, 4600 SANGAMORE ROAD, BETHESDA, MD 20816-5003.

Chart 26147 – Plans in Haiti

Action	Charting Label	Latitude	Longitude	Published Document
Add	Anchorage symbol (large vessels)	19° 45' 52.0" N	72° 11' 17.1" W	41/95
Delete	Stranded wreck "Rep (1960)"	19° 46' 26" N	72° 11' 01" W	46/96
Add	Buoy RW, pillar	19° 47' 30.5" N	72° 11' 22.4" W	46/96
Change	Characteristic of beacon to Oc R 4s	19° 45' 34" N	72° 11' 35" W	47/97
Add	Dangerous wreck "Rep (1960)" (PA)	19° 46' 26" N	72° 11' 01" W	21/98
Delete	Buoy	19° 47' 30" N	72° 11' 22" W	38/98
Relocate	Buoy close ESE to	19° 46' 10.5" N	72° 10' 50.0" W	38/98
Change	Designation of buoy "1" to "1A"	19° 47' 10" N	72° 10' 59" W	38/98
Add	Buoy "1" G, can	19° 47' 37.1" N	72° 11' 13.1" W	38/98
Delete	Buoy "1"	19° 47' 37.1" N	72° 11' 13.1" W	26/01
Delete	Buoy "1A"	19° 47' 10.0" N	72° 10' 59.0" W	26/01
Delete	Buoy "2"	19° 46' 38.4" N	72° 10' 56.7" W	26/01
Delete	Buoy "3"	19° 46' 05.0" N	72° 10' 42.5" W	26/01
Delete	Buoy "4"	19° 46' 10.5" N	72° 10' 50.0" W	26/01
Delete	Beacon "2"	19° 46' 34.8" N	72° 11' 22.5" W	26/01
Delete	Beacon "3"	19° 46' 32.8" N	72° 11' 13.8" W	26/01
Delete	Beacon "4"	19° 46' 19.2" N	72° 11' 21.3" W	26/01
Delete	Beacon "5"	19° 46' 20.2" N	72° 11' 13.5" W	26/01
Delete	Beacon "9"	19° 45' 42.0" N	72° 10' 58.5" W	26/01
Delete	Beacon "11"	19° 45' 16.2" N	72° 10' 49.3" W	26/01
Add	Legend "See ANCHORAGE NOTE"	19° 49' 00" N	73° 25' 00" W	8/02
Add	Legend "See ANCHORAGE NOTE"	19° 52' 00" N	73° 23' 30" W	8/02
Add	Legend "See ANCHORAGE NOTE"	18° 30' 00" N	74° 30' 00" W	8/02
Add	Note "ANCHORAGE NOTE Vessels may only anchor in charted anchorages as designated by the Dominican Republic Naval Authority. See Sailing Directions. Mariners should contact local authorities for more detailed information."	18° 39' 39" N	74° 05' 40" W	8/02
Add	Legend "See ANCHORAGE NOTE"	18° 39' 30" N	74° 06' 24" W	8/02
Add	Legend "See ANCHORAGE NOTE"	19° 47' 30" N	72° 11' 42" W	8/02
Add	Legend "See ANCHORAGE NOTE"	19° 47' 00" N	72° 09' 48" W	8/02
Add	Legend "See ANCHORAGE NOTE"	19° 50' 52" N	73° 23' 30" W	10/02
Delete	Legend "See ANCHORAGE NOTE"	19° 52' 00" N	73° 23' 30" W	13/02
Delete	Legend "See ANCHORAGE NOTE"	18° 30' 00" N	74° 30' 00" W	13/02
Delete	ANCHORAGE note	18° 39' 39" N	74° 05' 40" W	13/02
Delete	Legend "See ANCHORAGE NOTE"	18° 39' 30" N	74° 06' 24" W	13/02
Delete	Legend "See ANCHORAGE NOTE"	19° 47' 30" N	72° 11' 42" W	13/02
Delete	Legend "See ANCHORAGE NOTE"	19° 47' 00" N	72° 09' 48" W	13/02
Delete	Legend "See ANCHORAGE NOTE"	19° 52' 00" N	73° 23' 30" W	13/02

Information obtained through US NtMS 13/2015 (28 March 2015)

Chart 26147 – Plans in Haiti

Action	Charting Label	Latitude	Longitude	Published Document
Add	Buoy "2" R, pillar, Fl R 4s	19° 47' 43.2" N	72° 11' 15.9" W	19/04
Add	Buoy "2A" R, pillar, Fl R 4s	19° 47' 12.0" N	72° 11' 15.3" W	19/04
Add	Buoy "3" G, pillar, Fl G 4s	19° 47' 09.9" N	72° 10' 59.4" W	19/04
Add	Beacon "2B" R, Fl R 5s (PA)	19° 46' 34.8" N	72° 11' 22.5" W	19/04
Add	Beacon "3A" G, Fl G 4s (PA)	19° 46' 32.8" N	72° 11' 13.8" W	19/04
Add	Beacon "4" R, Fl R 2.5s (PA)	19° 46' 19.2" N	72° 11' 21.3" W	19/04
Add	Beacon "5" G, Fl G 6s (PA)	19° 46' 20.2" N	72° 11' 13.5" W	19/04
Add	Buoy "7" G, pillar, Fl G 4s	19° 46' 09.2" N	72° 11' 10.9" W	19/04
Add	Buoy "8" R, pillar, Fl R 4s	19° 45' 39.9" N	72° 11' 27.0" W	19/04
Add	Buoy "2" R, pillar, Fl R 4s	19° 47' 43.2" N	72° 11' 15.9" W	19/04
Add	Beacon "9" G, Fl G 2.5s (PA)	19° 45' 42.0" N	72° 10' 58.5" W	19/04
Add	Beacon "11" G, Fl G 5s (PA)	19° 45' 16.2" N	72° 10' 49.3" W	19/04
Delete	Beacon "No 1"	19° 47' 06.0" N	72° 10' 47.5" W	52/08
Delete	Beacon "No 6"	19° 46' 06.5" N	72° 11' 18.0" W	52/08
Delete	Beacon "No 7"	19° 46' 09.0" N	72° 11' 06.5" W	52/08
Delete	Buoy "4"	19° 45' 48.0" N	72° 11' 07.5" W	52/08
Delete	Buoy (can) (undesignated)	19° 45' 24.0" N	72° 11' 35.5" W	52/08
Delete	Buoys (conical) (undesignated) (2) and legend "Rep (1965)" in vicinity	19° 45' 27.0" N	72° 11' 41.5" W	52/08
Delete	Buoy (conical) (undesignated)	19° 45' 32.0" N	72° 11' 35.0" W	52/08
Delete	Beacon "No 11"	19° 45' 16.2" N	72° 10' 49.3" W	52/08
Delete	Beacon "No 9"	19° 45' 42.0" N	72° 10' 58.5" W	52/08
Delete	Beacon "No 5"	19° 46' 20.2" N	72° 11' 13.5" W	52/08
Delete	Beacon "No 4"	19° 46' 19.2" N	72° 11' 21.3" W	52/08
Change	Shape of buoy "3" to can	19° 47' 09.9" N	72° 10' 59.4" W	52/08
Change	Shape of buoy "7" to can	19° 46' 09.2" N	72° 11' 10.9" W	52/08
Change	Shape of buoy "8" to conical	19° 45' 39.9" N	72° 11' 27.0" W	52/08
Change	Beacon "No 13" to "13" G, can topmark	19° 44' 55.2" N	72° 10' 59.1" W	52/08
Add	Buoy "6" R, conical, Fl(2) R 5s	19° 46' 05.1" N	72° 11' 18.3" W	52/08
Add	Danger circle [K40] "Obstn Rep (2008)"	19° 46' 06.5" N	72° 11' 17.0" W	52/08
Add	Beacon "11" G, can topmark	19° 45' 17.0" N	72° 10' 47.8" W	52/08
Add	Beacon "9" G, can topmark	19° 45' 41.0" N	72° 10' 58.2" W	52/08
Add	Beacon "5" G, can topmark, Fl G 6s	19° 46' 22.0" N	72° 11' 10.0" W	52/08
Add	Beacon "4" R, cone topmark	19° 46' 20.0" N	72° 11' 23.0" W	52/08
Delete	Light from beacon "2B"	19° 46' 34.8" N	72° 11' 22.5" W	32/09
Change	Buoy to "2A" R, conical, Fl R 5s	19° 47' 12.0" N	72° 11' 15.3" W	32/09
Change	Period of buoy "3" to 5s	19° 47' 09.9" N	72° 10' 59.4" W	32/09
Change	Period of beacon "5" to 5s	19° 46' 22.0" N	72° 11' 10.0" W	32/09
Change	Period of buoy "7" to 5s	19° 46' 09.2" N	72° 11' 10.9" W	32/09

Chart 26147 – Plans in Haiti

Action	Charting Label	Latitude	Longitude	Published Document
Change	Period of buoy "2" to 5s	19° 47' 43.2" N	72° 11' 15.9" W	5/10
Delete	Buoy "6"	19° 46' 05.1" N	72° 11' 18.3" W	10/10
Substitute	Buoy "3A" G, can, Fl G 5s for beacon "3A"	19° 46' 32.8" N	72° 11' 13.8" W	10/10
Add	Buoy "6" R, conical, Fl(2) R 5s	19° 46' 04.8" N	72° 11' 16.2" W	10/10
Delete	Plan D (PORT OF CAP-HAITIEN)	19° 46' 30.0" N	72° 10' 30.0" W	28/10
Change	Period of buoy "2" to 5s	19° 47' 43.2" N	72° 11' 15.9" W	5/10
Delete	Buoy "6"	19° 46' 05.1" N	72° 11' 18.3" W	10/10
Substitute	Buoy "3A" G, can, Fl G 5s for beacon "3A"	19° 46' 32.8" N	72° 11' 13.8" W	10/10
Add	Buoy "6" R, conical, Fl(2) R 5s	19° 46' 04.8" N	72° 11' 16.2" W	10/10
Delete	Plan D (PORT OF CAP-HAITIEN)	19° 46' 30.0" N	72° 10' 30.0" W	28/10